Journal of Applied Photographic Engineering

A bimonthly publication of the
Society of Photographic Scientists and Engineers

INDEX TO VOLUME 8 1982

Subject 262
Author 264

Only technical papers (P), Image Technology® (IT), Technical Notes (N), and Tutorial papers (T) are included in this index

Number 1, February 1–70
Number 2, April 71–110
Number 3, June 111–164
Number 4, August 165–188
Number 5, October 189–232
Number 6, December 233–260

Subject Index

Aerial photography
A comparison of digitized high-altitude photography and Landsat imagery for forest-cover mapping—Apostle Islands, Wisconsin (P), 3: 111–116
A context-based land-use classification algorithm for high-resolution remotely sensed data (P), 1: 46–50
A data analytic approach to look-angle radiance adjustment (P), 3: 128–137
An application of heat capacity mapping mission data: Thermal bar studies of Lake Ontario (P), 3: 117–120
Application of scanning microdensitometer data in selected plant-science case studies (P), 1: 40–45
Dynamic tests of an infrared exposure meter (P), 3: 121–124
Mapping a southern pine plantation with satellite and aircraft scanner data: A comparison of present and future Landsat sensors (P), 1: 58–62
Refining Landsat classification results using digital terrain data (P), 1: 35–40
The availability of conventional forms of remotely sensed data (T), 3: 153–158
The use of Landsat data in a groundwater study in Botswana (P), 3: 138–141
The use of large-scale serial photography for interpreting Landsat digital data in an elk habitat-analysis project (P), 1: 51–57

Black-and-white films
Autoradiographic intensification method: Effect of increasing the amount of non-radioactive thiourea in the radioactive solution (N), 2: 104–106

Black-and-white prints
Critical densities for graininess in reflection prints (P), 2: 71–76

Color films
Application of analytical densitometry to remote sensing (P), 3: 147–152

Color paper
Some problems in the evaluation of color image stability (P), 2: 79–82
The effect of oxygen insulation on the stability of image dyes of a color photographic print and the behavior of alkylhydroquinones as antioxidants (P), 5: 227–231

Color prints
Critical densities for graininess in reflection prints (P), 2: 71–76

Computers
Computer-assisted retrieval of microfilm images—A simple technique with today's technology (IT), 5: 222–223
Digital-image-data-processing on large general-purpose computers: The ORSER approach (IT), 3: 163–164
High-speed classification of multispectral imagery (P), 3: 142–146

Copiers
High-quality pictorial xerographic reproduction by halftone screening (P), 6: 233–238
Recent trends in electrophotography and its applications (T), 5: 224–226

Data processing
A context-based land-use classification algorithm for high-resolution remotely sensed data (P), 1: 46–50
A new approach to image registration on a mini-computer (N), 1: 68–70
An overview of the characteristics of SEASAT SAR data and its application to urban land-cover analysis in the northeastern United States (P), 1: 63–67
Digital-image-data-processing on large general-purpose computers: The ORSER approach (IT), 3: 163–164
Image-data-processing for earth resources—An overview (T), 1: 2–14
Mapping a southern pine plantation with satellite and aircraft scanner data: A comparison of present and future Landsat sensors (P), 1: 58–62
Statistical method for selecting Landsat MSS ratios (P), 1: 23–30

Densitometry
Application of analytical densitometry to remote sensing (P), 3: 147–152

Diazo
Diazo and vesicular microfilm technologies (T), 5: 190–199

Digital images
A comparison of digitized high-altitude photography and Landsat imagery for forest-cover mapping—Apostle Islands, Wisconsin (P), 3: 111–116
A data analytic approach to look-angle radiance adjustment (P), 3: 128–137
A new approach to image registration on a minicomputer (N), 1: 68–70
Digital image-data-processing on large general-purpose computers: The ORSER approach (IT), 3: 163–164
Digital image film generation—From the photoscientist's perspective (P), 1: 15–22
Refining Landsat classification results using digital terrain data (P), 1: 35–40

Digital storage
The impact of digital storage on micrographic storage (T), 5: 200–203

Duplicating
Diazo and vesicular microfilm technologies (T), 5: 190–199
Solid object generation (IT), 4: 185–188

Dye images
The effect of oxygen insulation on the stability of image dyes of a color photographic print and the behavior of alkylhydroquinones as antioxidants (P), 5: 227–231

Education
The Institute of Photographic Chemistry, Academia Sinica (IT), 4: 181–185

Effluents
Removal of hexavalent chromium from aqueous discharges: A case study (IT), 2: 107–110

Electrophotography
Electrophotographic versatility of cadmium sulfide-type photoconductors (P), 6: 245–250
High-quality pictorial xerographic reproduction by halftone screening (P), 6: 233–238
Model of a photo-active particle electrophotographic system (P), 6: 251–255
Paper-loop control at the fuser station of a laser printer (P), 4: 167–171
Photo-active particle electrophotographic system (P), 6: 256–260
Recent trends in electrophotography and its applications (T), 5: 224–226

Emulsions
An improved electrolytic grain-size analyzer (P), 4: 165–167

Exposure control
Dynamic tests of an infrared exposure meter (P), 3: 121–124

Exposure meters
Dynamic tests of an infrared exposure meter (P), 3: 121–124

Film
A method to predict the effect of residual thiosulfate content on the long-term image-stability characteristics of radiographic films (P), 2: 83–89

Granularity
An improved electrolytic grain-size analyzer (P), 4: 165–167
Critical densities for graininess in reflection prints (P), 2: 71–76

Halftones
High-quality pictorial xerographic reproduction by halftone screening (P), 6: 233–238

Image analysis
Application of analytical densitometry to remote sensing (P), 3: 147–152

Image enhancement
Digital image film generation—From the photoscientist's perspective (P), 1: 15–22

Image evaluation
A context-based land-use classification algorithm for high-resolution remotely sensed data (P), 1: 46–50

Image permanence
A method to predict the effect of residual thiosulfate content on the long-term image-stability characteristics of radiographic films (P), 2: 83–89
Function versus technology in standards for archival record film (IT), 5: 213–215
Some problems in the evaluation of color image stability (P), 2: 79–82
The effect of oxygen insulation on the stability of image dyes of a color photographic print and the behavior of alkylhydroquinones as antioxidants (P), 5: 227–231

Infrared photography
A comparison of digitized high-altitude photography and Landsat imagery for forest-cover mapping—Apostle Islands, Wisconsin (P), 3: 111–116
Dynamic tests of an infrared exposure meter (P), 3: 121–124

Instrumentation
An improved electrolytic grain-size analyzer (P), 4: 165–167

Intensification
Autoradiographic intensification method: Effect of increasing the amount of non-radioactive thiourea in the radioactive solution (N), 2: 104–106

Lasers
Electrophotographic versatility of cadmium sulfide-type photoconductors (P), 6: 245–250

Lithography
The impact of photoresist on image size (N), 2: 101–104

Magnetic printing
Magnetographic printing (P), 6: 239–244

Mathematical modeling
A data analytic approach to look-angle radiance adjustment (P), 3: 128–137
Model of a photo-active particle electrophotographic system (P), 251–255

Medical radiography
Autoradiographic intensification method: Effect of increasing the amount of non-radioactive thiourea in the radioactive solution (N), 2: 104–106

Microdensitometry
Application of scanning microdensitometer data in selected plant-science case studies (P), 1: 40–45

Microfilm
Computer-assisted retrieval of microfilm images—A simple technique with today's technology (IT), 5: 222–223
Diazo and vesicular microfilm technologies (T), 5: 190–199
Function versus technology in standards for archival record film (IT), 5: 213–215
National Micrographics Association—A capsule history (IT), 5: 218–221
Vesicular technology—In perspective (T), 5: 204–209

Micrographics
File management, global growth are seen in micrographics future (IT), 5: 215–218
The impact of digital storage on micrographic storage (T), 5: 200–203

Multispectral imaging
A comparison of digitized high-altitude photography and Landsat imagery for forest-cover mapping—Apostle Islands, Wisconsin (P), 3: 111–116
A data analytic approach to look-angle radiance adjustment (P), 3: 128–137
Digital image film generation—From the photoscientist's perspective (P), 1: 15–22
High-speed classification of multispectral imagery (P), 3: 142–146
Refining Landsat classification results using digital terrain data (P), 1: 35–40
The use of large-scale aerial photography for interpreting Landsat digital data in an elk habitat-analysis project (P), 1: 51–57

Multispectral photography
Mapping a southern pine plantation with satellite and aircraft scanner data: A comparison of present and future Landsat sensors (P), 1: 58–62

NMA history
National Micrographics Association—A capsule history (IT), 5: 218–221

Non-silver
Vesicular technology—In perspective (T), 5: 204–209

Paper handling
Paper-loop control at the fuser station of a laser printer (P), 4: 167–171

Photoconductors
Electrophotographic versatility of cadmium sulfide-type photoconductors (P), 6: 245–250
High-quality pictorial xerographic reproduction by halftone screening (P), 6: 233–238
Recent trends in electrophotography and its applications (T), 5: 224–226

Photofabrication
Photoetching research at the Cranfield Institute of Technology: A review (T), 2: 90–100

Photopolymers
Solid object generation (IT), 4: 185–188

Photoresists
Photoetching research at the Cranfield Institute of Technology: A review (T), 2: 90–100
The impact of photoresist on image size (N), 2: 101–104

Photo reproduction
Solid object generation (IT), 4: 185–188

Photothermography
Early dry silver technology at 3M (P), 5: 210–212

Printers
Photo-active particle electrophotographic system (P), 6: 256–260

Psychophysical image evaluation
Statistical efficiency: A measure of human visual signal-detection performance (P), 2: 76–78

Radiography
A method to predict the effect of residual thiosulfate content on the long-term image-stability characteristics of radiographic films (P), 2: 83–89

Regeneration techniques
Removal of hexavalent chromium from aqueous discharges: A case study (IT), 2: 107–110

Remote sensing
A comparison of digitized high-altitude photography and Landsat imagery for forest-cover mapping—Apostle Islands, Wisconsin (P), 3: 111–116
A context-based land-use classification algorithm for high-resolution remotely sensed data (P), 1: 46–50
A data analytic approach to look-angle radiance adjustment (P), 3: 128–137
An application of heat capacity mapping mission data: Thermal bar studies of Lake Ontario (P), 3: 117–120
A new approach to image registration on a minicomputer (N), 1: 68–70
An overview of the characteristics of SEASAT SAR data and its application to urban land-cover analysis in the northeastern United States (P), 1: 63–67
Application of scanning microdensitometer data in selected plant-science case studies (P), 1: 40–45
Applications of analytical densitometry to remote sensing (P), 3: 147–152
A remote sensing-aided procedure for site-specific estimation of net radiation over large areas (P), 1: 31–35
Digital-image-data-processing on large general-purpose computers: The ORSER approach (IT), 3: 163–164
Digital image film generation—From the photoscientist's perspective (P), 1: 15–22
Dynamic tests of an infrared exposure meter (P), 3: 121–124
Evaluation of AMOEBA: A spectral-spatial classification method (N), 3: 159–162
High-speed classification of multispectral imagery (P), 3: 142–146
Image-data-processing for earth resources—An overview (T), 1: 2–14
Mapping a southern pine plantation with satellite and aircraft scanner data: A comparison of present and future Landsat sensors (P), 1: 58–62
Measurement of solar energy at the Earth's surface by use of satellites (P), 3: 125–127
Refining Landsat classification results using digital terrain data (P), 1: 35–40
Statistical method for selecting Landsat MSS ratios (P), 1: 23–30
The availability of conventional forms of remotely sensed data (T), 3: 153–158
The use of Landsat data in a groundwater study in Botswana (P), 3: 138–141
The use of large-scale aerial photography for interpreting Landsat digital data in an elk habitat-analysis project (P), 1: 51–57

Satellite photography
A comparison of digitized high-altitude photography and Landsat imagery for forest-cover mapping—Apostle Islands, Wisconsin (P), 3: 111–116
An application of heat capacity mapping mission data: Thermal bar studies of Lake Ontario (P), 3: 117–120
An overview of the characteristics of SEASAT SAR data and its application to urban land-cover analysis in the northeastern United States (P), 1: 63–67
Digital image film generation—From the photoscientist's perspective (P), 1: 15–22
Image-data-processing for earth resources—An overview (T), 1: 2–14
Mapping a southern pine plantation with satellite and aircraft scanner data: A comparison of present and future Landsat sensors (P) 1: 58–62
Measurement of solar energy at the Earth's surface by use of satellites (P), 3: 125–127
Refining Landsat classification results using digital terrain data (P), 1: 35–40
Statistical method for selecting Landsat MSS ratios (P), 1: 23–30
The availability of conventional forms of remotely sensed data (T), 3: 153–158
The use of Landsat data in a groundwater study in Botswana (P), 3: 138–141
The use of large-scale aerial photography for interpreting Landsat digital data in an elk habitat-analysis project (P), 1: 51–57

Silver recovery
An engineering approach to electrolytic silver recovery systems design (P), 4: 171–180

Solar energy measurement
Measurement of solar energy at the Earth's surface by use of satellites (P), 3: 125–127

Standards
Function versus technology in standards for archival record film (IT), 5: 213–215

Statistics
Evaluation of AMOEBA: A spectral-spatial classification method (N), 3: 159–162
Statistical efficiency: A measure of human visual signal-detection performance (P), 2: 76–78
Statistical method for selecting Landsat MSS ratios (P), 1: 23–30

Vesicular
Diazo and vesicular microfilm technologies (T), 5: 190–199

Vesicular films
Vesicular technology—In perspective (T), 5: 204–209

Xerography
Electrophotographic versatility of cadmium sulfide-type photoconductors (P), 6: 245–250
High-quality pictorial xerographic reproduction by halftone screening (P), 6: 233–238

Author Index

Alexander, C. J. See Isaacson, D. L., 51–57

Aono, T.
—; Nakamura, K., Furutachi, N.: The effect of oxygen insulation on the stability of image dyes of a color photographic print and the behavior of alkylhydroquinone as antioxidants (P), 5: 227–231
See Seoka, Y., 79–82

Baltazzi, E. S.
Recent trends in electrophotography and its applications (T), 5: 224–226

Bard, C. C. See Kopperl, D. F., 83–89

Baumer, G. M. See Myers, W. L. et al., 163–164

Berg, W. G.
The Institute of Photographic Chemistry, Academia Sinica (IT), 4: 181–185

Berlin, G. L. See Chavez, Jr., P. S., 23–30

Billingsley, F. C.
Image-data-processing—An overview (T), 1: 2–14

Bonnicksen, T. M. See Mace, T. H., 111–116

Boyd, J. E.
Digital image film generation—From the photoscientist's perspective (P), 1: 15–22

Bryant, J. See Jenson, S. K. et al., 159–162

Burgess, A. E.
—; Jennings, R. J., Wagner, R. F.: Statistical efficiency: A measure of human visual signal-detection performance (P), 2: 76–78

Carroll, B. H. See Owunwanne, A., 104–106

Chavez, Jr., P. S.
—; Berlin, G. L., Sowers, L. B.: Statistical method for selecting Landsat MSS ratios (P), 1: 23–30

Cooley, A. C.
An engineering approach to electrolytic silver recovery systems design (P), 4: 171–180

Cope, O. J.
Diazo and vesicular microfilm technologies (T), 5: 190–199

Dailey, Jr., F. E.
Function versus technology in standards for archival record film (IT), 5: 213–215

Dana, R. W.
Dynamic tests of an infrared exposure meter (P), 3: 121–124

Debney, A. G. P. See Gurney, R. J. et al., 138–141

Del Pico, J. See Praino, Jr., R. F., 107–110

Dottavio, C. L.
—; Williams, D. L.: Mapping a southern pine plantation with satellite and aircraft scanner data: A comparison of present and future Landsat sensors (P), 1: 58–62

Drews, R. E. See Hermanson, H. A., 239–244

Driscoll, E. C., Jr.
High-speed hardware classification of multispectral imagery (P), 3: 142–146

Faria, S.
—; Karam, R. E.: Electrophotographic versatility of cadmium sulfide-type photoconductors (P), 6: 245–250

Feinerman, A. D. See Holland, A. B., 165–167

Furutachi, N. See Aono, T. et al., 227–231

Gordon, M. R. See Gurney, R. J. et al., 138–141

Goren, R. N.
High-quality pictorial xerographic reproduction by halftone screening (P), 6: 233–238

Gurney, R. J.
—; Debney, A. G. P., Gordon, M. R.: The use of Landsat data in a groundwater study in Botswana (P), 3: 138–141

Henderson, F. M. See Wharton, S. W., 63–67

Herbert, A. J.
Solid object generation (IT), 4: 185–188

Hermanson, H. A.
—; Drews, R. E.: Magnetographic printing (P), 6: 239–244

Hirano, M. See Seoka, Y., 79–82

Hiser, H. W.
Measurement of solar energy at the Earth's surface by use of satellites (P), 3: 125–127

Holland, A. B.
—; Feinerman, A. D.: An improved electrolytic grain-size analyzer (P), 4: 165–167

Holm, T. M. See Sturdevant, J. A., 153–158

Horie, M. See Nakai, A. et al., 167–171

Hutchins, B. A. See Kopperl, D. F., 83–89

Irons, J. R.
—; Labovitz, M. L.: A data analytic approach to look-angle radiance adjustment (P), 3: 128–137

Isaacson, D. L.
—; Leckenby, D. A., Alexander, C. J.: The use of large-scale aerial photography for interpreting Landsat digital data in an elk habitat-analysis project (P), 1: 51–57

Jennings, R. J. See Burgess, A. E., 76–78

Jenson, S. K.
—; Loveland, T. R., Bryant, J.: Evaluation of AMOEBA: A spectral-spatial classification method (N), 3: 159–162

Karam, R. E. See Faria, S., 245–250

Khorram, S.
A remote sensing-aided procedure for site-specific estimation of net radiation over large areas (P), 1: 31–35

Kondo, I. See Nakai, A. et al., 167–171

Kopperl, D. F.
—; Larson, G. W., Hutchins, B. A., Bard, C. C.: A method to predict the effect of residual thiosulfate content on the long-term image-stability characteristics of radiographic films (P), 2: 83–89

Kubodera, S. See Seoka, Y., 79–82

Labovitz, M. L. See Irons, J. R., 128–137

Larson, G. W. See Kopperl, D. F., 83–89

Leckenby, D. A. See Isaacson, D. L., 51–57

Lillesand, T. M.
—; Meisner, D. E.: Application of scanning microdensitometer data in selected plant-science case studies (P), 1: 40–45

Loveland, T. R. See Jenson, S. K. et al., 159–162

Mace, T. H.
—; Bonnicksen, T. M.: A comparison of digitized high-altitude photography and Landsat imagery for forest-cover mapping—Apostle Islands, Wisconsin (P), 3: 111–116

Maxwell, M. C.
Computer-assisted retrieval of microfilm images—A simple technique with today's technology (IT), 5: 222–223

McArthur, D. W.
File management, flobal growth are seen in micrographics future (IT), 5: 215–218

Meisner, D. E. See Lillesand, T. M., 40–45

Meyer, E. T.
National Micrographics Association—A capsule history (IT), 5: 218–221

Miller, W. A.
—; Shasby, M. B.: Refining Landsat classification results using digital terrain data (P), 1: 35–40

Mori, M. See Nakai, A. et al., 167–171

Murray, H.
Model of a photo-active particle electrophotographic system (P), 6: 251–255
—; Sonnenberg, H.: Photo-active particle electrophotographic printer (P), 6: 256–260

Myers, W. L.
—; Turner, B. J., Baumer, G. M.: Digital-image-data-processing on large general-purpose computers: The ORSER approach (IT), 3: 163–164

Nakai, A.
—; Mori, M., Kondo, I., Horie, M.: Paper loop-control at the fuser station of a laser printer (P), 4: 167–171

Nakamura, K. See Aono, T. et al., 227–231

O'Mara, R. E. See Owunwanne, A., 104–106

Owunwanne, A.
—; Wheaton, L. E., Carroll, B. H., O'Mara, R. E.: Autoradiographic intensification method: Effect of increasing the amount of nonradioactive thiourea in the radioactive solution (N), 2: 104–106

Praino, Jr., R. F.
—; Del Pico, J.: Removal of hexavalent chromium from aqueous discharges: A case study (IT), 2: 107–110

Quirk, B. K. See Scarpace, F. L., 147–152

Ram, A. T.
Vesicular technology—In perspective (T), 5: 204–209

Rottman, H. R.
The impact of photoresist on image size (N), 2: 101–104

Scarpace, F. L.
—; Quirk, B. K.: Application of analytical densitometry to remote sensing (P), 3: 147–152

Schott, J. R.
An application of heat capacity mapping mission data: Thermal bar studies of Lake Ontario (P), 3: 117–120

Seoka, Y.
—; Kubodera, S., Aono, T., Hirano, M.: Some problems in the evaluation of color image stability (P), 2: 79–82

Shasby, M. B. See Miller, W. A., 35–40

Shepard, J. W.
Early dry silver technology at 3M (P), 5: 210–212

Simpson, B.
A new approach to image registration on a minicomputer (N), 1: 78–80

Sonnenberg, H. See Murray, H., 256–260

Sowers, L. B. See Chavez, Jr., P. S., 23–30

Sporer, A. H.
The impact of digital storage on micrographic storage (T), 5: 200–203

Stevens, G. W. W.
Photoetching research at the Cranfield Institute of Technology: A review (T), 2: 90–100

Sturdevant, J. A.
—; Holm, T. M.: The availability of conventional forms of remotely sensed data (T), 3: 153–158

Turner, B. J. See Myers, W. L. et al., 163–164

Wagner, R. F. See Burgess, A. E., 76–78

Wharton, S. W.
A context-based land-use classification algorithm for high-resolution remotely sensed data (P), 1: 46–50
—; Henderson, F. M.: An overview of the characteristics of SEASAT SAR data and its application to urban land-cover analysis in the northeastern United States (P), 1: 63–67

Wheaton, L. E. See Owunwanne, A., 104–106

Williams, D. L. See Dottavio, C. L., 58–62

Zwick, D. M.
Critical densities for graininess in reflection prints (P), 2: 71–76